

SEP 2 7 2002 H FORM PT 1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
Cell 4.8 FWC CPA	08/923,138
APPLICANT Raju Kucherlapati et al.	CONFIRMATION NO. 2306
FILING DATE	GROUP
September 4, 1997	1632

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)		
EXAN INITIA	MINER AL		
		Albertsen, et al., Construction and characterization of a yeast artificial chromosome library containing seven haploid human genome equivalents," <i>Proc. Natl. Acad. Sci.</i> , 87:4256-4260 (1990).	
		Aldhous, "Transgenic mice display a class (switching) act," <i>Science</i> 262:1212-1213 (1993).	
		Ayares, et al., "Sequence homology requirements for intermolecular recombination in mammalian cells," <i>Proc. Natl. Acad. Sci.</i> , 83:5199-5203 (1986).	
		Berman, et al., "Content and organization of the human $Ig\ V_H$ locus: definition of three new V_H families and linkage to the $Ig\ C_H$ locus," <i>EMBO J.</i> , 7:727-738 (1988).	
		Bird, et al., "Single-Chain Antigen-Binding Proteins," Science, 243:423-426 (1988).	
		Blankenstein, et al., "Immunoglobulin V _H region genes of the mouse are organized in overlapping clusters," <i>Eur. J. Immunol.</i> , 17:1351-1357 (1987).	
		Brinster, et al., "Introns increase transcriptional efficiency in transgenic mice," <i>Proc. Natl. Acad. Sci.</i> , 85:836-840 (1988).	
		Brownstein, et al., "Isolation of single-copy human genes from a library of yeast artificial chromosome clones," <i>Science</i> , 244:1348-1351 (1989).	
		Brüggemann, et al., "Human antibody production in transgenic mice: expression from 100kb of the human IgH locus," <i>European Journal of Immunology</i> , 21:1323-1326 (1991).	
		Brüggemann, et al., "Construction, function and immunogenicity of recombinant monoclonal antibodies," <i>Behring Inst. Mitt.</i> , 87:21-24 (1990).	
		Burke, et al., "Cloning of large segments of exogenous DNA into yeast by means of artificial chromosome vectors," <i>Science</i> , 236:806-812 (1987).	
		Buttin, G., "Exogenous Ig gene rearrangement in transgenic mice: a new strategy for human monoclonal antibody production?," <i>Trends in Genetics</i> , 3(8):205-206 (1987).	
	1600/2900	Capecchi, et al., "Altering the Genome by Homologous Recombination," <i>Science</i> , 244(16):1288-1292 (1989).	
2002	1600	Choi, et al., "Transgenic mice containing a human heavy chain immunoglobulin gene fragment cloned in a yeast artificial chromosome," <i>Nature Genetics 4:</i> 117-123 (1993).	
102	ENTER	Choi et al., "RNA Splicing Generates a Variant Light Chain from an Aberrantly Arranged к Gene," Nature, 286: 776–779 (1980).	
OCT OCT	35 15 15 15 15 15 15 15 15 15 15 15 15 15	Davies, et al., "Targeted alterations in yeast artificial chromosomes for inter-species gene transfer," Nuc. Acids Res., 20:2693-2698 (1992).	
	严	Doelker, et al., "The CySF-L2 factor from dialysable human leucocyte extract activates natural killer cytotoxicity by induction of interferon γ," Cancer Immunology Immunotherapy, 34:299-305 (1992).	

EXAMINER

ALLIS

DATE CONSIDERED (d/6/4



INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
Cell 4.8 FWC CPA	08/923,138
APPLICANT Raju Kucherlapati et al.	CONFIRMATION NO. 2306
FILING DATE	GROUP
September 4, 1997	1632

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
EXAMII INITIAL		
N)	Doetschman et al., "Targeted Mutation of the Hprt Gene in Mouse Embryonic Stem Cells," <i>Proc. Natl. Acad. Sci. USA</i> , 85: 8583–8587 (1988).
		Eisen, Herman N., "Immunology: An Introduction to Molecular and Celluar Principles of the Immune Responses," 349-351 (2d ed. 1989).
		Eliceiri, et al., "Stable integration and expression in mouse cells of yeast artificial chromosomes harboring human genes," <i>Proc. Natl. Acad. Sci.</i> , 88:2179-2183 (1991).
		Emery, et al., "Humanised monoclonal Antibodies for Therapeutic Applications," Expert Opinion on Investigational Drugs, 3:241-251 (1994).
		Garza, et al., "Mapping the Drosophila genome with yeast artificial chromosomes," <i>Science</i> , 246:641-646 (1989).
		Gnirke, et al., "Cloning and <i>in vivo</i> expression of the human GART gene using yeast artificial chromosomes," <i>EMBO</i> , 10(7):1629-1634 (1991).
		Green et al., "Antigen-specific Human Monoclonal Antibodies from Mice Engineered with Human Ig Heavy and Light Chain Yacs," <i>Nature Genet.</i> , 7:13 (1994).
		Griffiths, et al., "Isolation of high affinity human antibodies directly from large synthetic repertoires," <i>The EMBO Journal</i> , 13:3245-3260 (1994).
		Huxley, et al., "The Human HPRT gene on a yeast artificial chromosome is functional when transferred to mouse cells by cell fusion," <i>Genomics</i> , 9:742-750 (1991).
	8	Jakobovits et al., "Germ-line Transmission and Expression of a Human-derived Yeast Artificial Chromosome," <i>Nature</i> , 362:252–258 (1993).
2002	1600/2900	James, et al., "Human monoclonal antibody production: current status and future prospects," <i>Journal of Immunological Methods</i> , 100:5-40 (1987).
	開	Johnson et al., "Targeting of Nonexpressed Genes in Embryonic Stem Cells via Homologous Recombination," <i>Science</i> , 245:1234–1236 (1989).
130		Joyner, et al., "Production of a mutation in mouse En-2 gene by homologous recombination in embryonic stem cells," <i>Nature</i> , 338:153-155 (1989).
	1E 0	Koller, et al., "Inactivating the $\[mathbb{R}_2$ -microglobulin locus in mouse embryonic stem cells by homologous recombination," <i>Proc. Natl. Acad. Sci.</i> , 86:8932-8935 (1989).
		Kucherlapati, R., "Homologous recombination in mammalian somatic cells," <i>Prog. Nucleic Acid Res. Mol. Biol.</i> , 36:301-310 (1989).

EXAMINER

DATE CONSIDERED

ne through citation



INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
Cell 4.8 FWC CPA	08/923,138
APPLICANT Raju Kucherlapati et al.	CONFIRMATION NO. 2306
FILING DATE	GROUP
September 4, 1997	1632

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) **EXAMINER** INITIAL Lenz, et al., "Expression of heterobispecific antibodies by genes transferred into producer hybridoma cells," Gene, 87:213-218 (1990). Liu et al., "Chimeric mouse-human IgG1 antibody that can mediate lysis of cancer cells," Proc Natl Acad Sci USA, 84:3439-3443 (1987). Mansour, et al., "Disruption of the proto-oncogene int-2 in mouse embryo-derived stem cells: a general strategy for targeting mutations to non-selectable genes," Nature, 336:348-352 (1988). Matsuda, et al., "Structure and physical map of 64 variable segments in the 3' 0.8- megabase region of the human immunoglobulin heavy-chain locus," Nature Genetics, 3:88-94 (1993). Max et al., "Sequences of Five Potential Recombination Sites Encoded Close to an Immunoglobulin K Constant Region Gene," Proc. Natl. Acad. Sci. USA, 76:3450-3454 (1979). Miller, et al., "Structural alterations in J regions of mouse immunoglobulin lambda genes are associated with differential gene expression," Nature, 295:428-430 (1982). Morrison et al., "Success Is in the Specification," Nature, 368:812–813 (1994). Mortensen, et al., "Production of homozygous mutant ES cells with a single targeting construct," Mol. Cell. Biol., 12(5):2391-2395 (1992). Munker, et al., "Recombinant human TNF induces production of granulocyte-monocyte colonystimulating factor," Nature, 323:79-82 (1986). Orkin et al., "Mutation in an Intervening Sequence Splice Junction in Man," Proc. Natl. Acad. Sci. USA, 78:5041-5045 (1981). Pachnis, et al., "Transfer of a yeast artificial chromosome carrying human DNA from Saccharomyces cerevisiae into mammalian cells," Proc. Natl. Acad. Sci., 87:5109-5113 (1990). Payan, et al., "Modification and transfer into an embryonal carcinoma cell line of a 360-kilobase humanderived yeast artificial chromosome," Mol. Cell. Biol., 10(8):4163-4169 (1990). NTER Queen, et al., "A humanized antibody that binds to the interleukin 2 receptor," Proc. Natl. Acad. Sci. USA, 86:10029-10033 (1989). Rajewsky et al., "Evolutionary and Somatic Selection of the Antibody Repertoire in the Mouse," Science, 238:1088-1094 (1987). Ramirez-Solis et al., "Chromosome Engineering in Mice," Nature, 378:720–724 (1995). Sakano, et al., "Identification and nucleotide sequence of a diversity DNA segment (D) of

EXAMINER

DATE CONSIDERED /

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

immunoglobulin heavy-chain genes," Nature, 290:562-565 (1981).

1



INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
Cell 4.8 FWC CPA	08/923,138
APPLICANT Raju Kucherlapati et al.	CONFIRMATION NO. 2306
FILING DATE	GROUP
September 4, 1997	1632

			OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
	EXAMINER INITIAL		
VC			Sakano, et al., "Two Types of Somatic Recombination are Necessary for the Generation of Complete Immunoglobulin Heavy-Chain Genes," <i>Nature</i> 286:676-683 (1980).
	<i>I</i>		Sakano et al., "Sequences at the Somatic Recombination Sites of Immunoglobulin Light-chain Genes," Nature, 280:288–294 (1979).
			Schedl, et al., "A Method for the Generation of YAC Transgenic Mice by Pronuclear Microinjection," Nucleic Acids Research 21(20):4783-4787 (1993).
			Schedl, et al., "A yeast artificial chromosome covering the tyrosinase gene confers copy number-dependent expression in transgenic mice," <i>Nature</i> , 362:258-261 (1993).
			Schedl et al., "Transgenic Mice Generated by Pronuclear Injection of a Yeast Artificial Chromosome," Nucleic Acids Res., 20:3073–3077 (1992).
			Schwartzberg et al., "Germ-line Transmission of a c-abl Mutation Produced by Targeted Gene Disruption in ES Cells," <i>Science</i> , 246:799–803 (1989).
			Seidman, et al., "A Mutant Immunoglobulin Light Chain Is Formed by Aberrant DNA- and RNA- Splicing Events," <i>Nature</i> , 286:779–783 (1980).
			Shimizu, et al., "Immunoglobulin double-isotype expression by trans-mRNA in a human immunoglobulin transgenic mouse," <i>Proc. Natl. Acad. Sci.</i> , 86:8020-8023 (1989).
			Shin, et al., "Physical map of the 3' region of the human immunoglobulin heavy chain locus: clustering of autoantibody-related variable segments in one haplotype," <i>EMBO J</i> , 10:3641-3645 (1991).
			Strauss, et al., "Germ Line Transmission of a Yeast Artificial Chromosome Spanning the Murine $\alpha_1(1)$ Collagen Locus," <i>Science</i> 259:1904-1907 (1993).
$\overline{}$		2900	Thomas, et al., "Site-directed metagenesis by gene targeting in mouse embryo-derived stem cells," <i>Cell</i> , 51:503-512 (1987).
VEI	2002	1600	Traver, et al., "Rapid screening of a human genomic library in yeast artificial chromosomes for single-copy sequences," <i>Proc. Natl. Acad. Sci.</i> , 86:5898-5902 (1989).
RECEIVE	0.2	NTER	Treisman et al., "Specific Transcription and RNA Splicing Defects in Five Cloned β-thalassaemia Genes," <i>Nature</i> , 302:591–596 (1983).
RE	3		Tucker, et al., "Mouse IgA heavy chain gene sequence: implications for evolution of immunoglobulin hinge exons," <i>Proc. Natl. Acad. Sci.</i> , 78:7684-7688 (1981).
		1	Yancoupoulos, et al. "Developmentally Controlled and Tissue-Specific Expression of Unrearranged V _H Gene Segments," <i>Cell</i> 40:271-281 (1985)
	- 0	,	Zachau, "The human immunoglobulin κ locus and some of its acrobatics," <i>Biol. Chem.</i> , 371:1-6 (1990)

EXAMINER

DATE CONSIDERED

aldos



INFORMATION DISCLOSURE STATEMENT BY APPLICANT

ATTY. DOCKET NO.	SERIAL NO.
Cell 4.8 FWC CPA	08/923,138
APPLICANT Raju Kucherlapati et al.	CONFIRMATION NO. 2306
FILING DATE	GROUP
September 4, 1997	1632

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIAL	
10	Zjilstra et al., "Germ-line Transmission of a Disrupted β2-microglobulin Gene Produced by Homologous Recombination in Embryonic Stem Cells," <i>Nature</i> , 342:435–438 (1989)

RECEIVED

OCT 0 2 2002

TECH CENTER 1600/2900

EXAMINER

MILOS

DATE CONSIDERED